

**MATERIAL SAFETY DATA SHEET**

**1. Product And Company Identification**

MSDS ID: MSDS506  
PRODUCT NAME: Prestone® LowTox Antifreeze/Coolant  
PRODUCT NUMBER: AF555, 70011, 70052, 70052-01  
FORMULA NUMBER: YA-2792PG

MANUFACTURER:  
Honeywell Consumer Products Group  
39 Old Ridgebury Road  
Danbury, CT 06810-5109

CANADIAN OFFICE:  
Honeywell Consumer Products Group  
3333 Unity Drive  
Mississauga, Ontario L5L 3S6

INFORMATION PHONE NUMBER: (800)862-7737 (in the US) (800)668-9349 (in Canada)  
EMERGENCY PHONE NUMBER: CHEMTREC (800)424-9300 (in the US) CANUTEC (613)996-6666 (in Canada)  
MSDS DATE OF PREPARATION/REVISION: 12/13/07  
PRODUCT USE: Automobile antifreeze - consumer product

**2. Composition/Information On Ingredients**

Component	CAS No.	Amount
Propylene Glycol	57-55-6	90-100%
Sodium Nitrite	7632-000	<0.5%

(See Section 8 for Exposure Limits)

**3. Hazards Identification**

Green liquid with a characteristic odor.

**EMERGENCY OVERVIEW**

Not classified as flammable or combustible but will burn under fire conditions. Direct eye contact may cause transient discomfort. Not toxic by inhalation, skin contact or ingestion. Swallowing large amounts may cause nausea, vomiting, diarrhea, cyanosis, lowering of blood pressure, rapid heartbeat and severe headache. Prolonged or repeated skin contact may cause dermatitis or skin sensitization.

**4. First Aid Measures**

**INHALATION:** No adverse effects are expected, however, if irritation or other symptoms develop, remove to fresh air. Seek medical attention if symptoms persist.

**SKIN CONTACT:** Remove contaminated clothing and wash skin with soap and water. Seek medical attention if irritation develops.

**EYE CONTACT:** Immediately flush with water, holding open eyelids, for 15 minutes. Seek medical attention if irritation persists.

**INGESTION:** If swallowed, get immediate medical advice by calling a poison control center or emergency department. If advice is not available and a significant quantity has been swallowed, give 1 glass of water or milk and induce vomiting. Take the victim and the product container to the nearest emergency treatment center or hospital. Do not attempt to induce vomiting or give anything by mouth to an unconscious person.

NOTES TO PHYSICIAN: Following acute ingestion signs of toxicity are unlikely. Ethanol treatment as in ethylene glycol poisoning is inappropriate. There is no specific antidote. Treatment should be directed at the control of symptoms and the clinical condition. Monitor for acidosis and central nervous system effects.

The principal toxic effects of sodium nitrite poisoning are vasodilation and/or methemoglobinemia. Hypotension with syncope and tachycardia are common findings. Coronary vasospasm due to acute withdrawal may be seen. Paradoxical bradycardia may occur rarely. Coronary ischemia and cerebrovascular disease can occur due to severe hypotension. Immediate life support measures should be provided because of associated hypotension, seizures, and methemoglobinemia-induced anoxia. Immediately contact a poison center or hospital emergency department for treatment advice.

### 5. Firefighting Measures

EXTINGUISHING MEDIA: Use water fog, carbon dioxide, alcohol resistant foam or dry chemical. Do not use direct water stream.

SPECIAL FIRE FIGHTING PROCEDURES: Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing for fires in areas where chemicals are used or stored. Cool exposed container with water spray or fog.

UNUSUAL FIRE HAZARDS: A solid stream of water or foam directed into hot, burning liquid can cause frothing. Heat from fire may generate flammable vapor. Fine sprays or mists may be combustible at temperatures below the normal flash point.

HAZARDOUS COMBUSTION PRODUCTS: Burning may produce carbon monoxide, carbon dioxide and aldehydes.

### 6: Accidental Release Measures

Wear appropriate protective clothing and equipment (See Section 8). Collect with absorbent material and place in appropriate, labeled container for disposal or, if permitted flush spill area with water.

### 7. Handling and Storage

Avoid eye and prolonged or repeated skin contact.  
Avoid breathing vapors or mists.  
Wash exposed skin thoroughly with soap and water after use.  
Keep container away from open flames and excessive heat.  
Do not reuse empty containers unless properly cleaned.

Empty containers retain product residue and may be dangerous. Do not cut, weld, drill, etc. containers, even empty.

Sudden release of hot organic chemical vapors or mists from process equipment operating at elevated temperature and pressure, or sudden ingress of air into vacuum equipment, may result in ignitions without any obvious ignition sources. Published "autoignition" or "ignition" temperatures cannot be treated as safe operating temperatures in chemical processes without analysis of the actual process conditions. Use of this product in elevated temperature applications should be thoroughly evaluated to assure safe operating conditions.

NFPA CLASSIFICATION: IIIIB

### 8. Exposure Controls / Personal Protection

#### EXPOSURE LIMITS

CHEMICAL	EXPOSURE LIMIT
Propylene Glycol	50 ppm AIHA WEEL
Sodium Nitrite	None Established

VENTILATION: Use general ventilation or local exhaust as required to minimize exposures.

RESPIRATORY PROTECTION: None normally needed.

GLOVES: None normally needed. For prolonged contact nitrile gloves can be worn.

EYE PROTECTION: Safety glasses or goggles recommended if splashing is possible.

OTHER PROTECTIVE EQUIPMENT/CLOTHING: Appropriate protective clothing as needed to minimize skin contact.

### 9. Physical and Chemical Properties

APPEARANCE AND ODOR: Green liquid with a characteristic odor. There is no odor threshold data for this product.

pH: 10.6	SPECIFIC GRAVITY: 1.03
BOILING POINT (F): 307°F (153°C)	VAPOR PRESSURE: <0.1 mmHg @ 68°F
FREEZING POINT (F): Not determined	VAPOR DENSITY: 2.6
SOLUBILITY IN WATER: Complete	PERCENT VOLATILE: None
VISCOSITY: Not determined	EVAPORATION RATE: Not determined
COEFFICIENT OF WATER/OIL DISTRIBUTION: Not determined	
FLASH POINT: 230 F (110 C) TOC	
AUTOIGNITION TEMPERATURE: Not determined	
FLAMMABILITY LIMITS: LEL: 2.6% (propylene glycol) UEL: 12.5% (propylene glycol)	

### 10. Stability and Reactivity

STABILITY: Stable

CONDITIONS TO AVOID: None

INCOMPATIBILITY: Strong oxidizing agents and reducing agents.

DECOMPOSITION PRODUCTS: Carbon monoxide, carbon dioxide and aldehydes.

HAZARDOUS POLYMERIZATION: Will not occur.

### 11. Toxicological Information

POTENTIAL HEALTH EFFECTS:

ACUTE HAZARDS:

INHALATION: Mists may cause upper respiratory irritation with coughing.

SKIN CONTACT: Prolonged or repeated contact may cause dermatitis or skin sensitization.

SKIN ABSORPTION: No adverse effects are expected due to the very low systemic toxicity of propylene glycol.

EYE CONTACT: Direct contact may cause stinging and tearing but no residual injury or discomfort.

INGESTION: Swallowing may cause gastrointestinal irritation, nausea, vomiting or diarrhea. Lactic acidosis, stupor and seizures have been reported following chronic ingestion of propylene glycol and in individuals overexposure to propylene glycol that have underlying kidney disease. This product contains less than 0.5% sodium nitrite. Swallowing sodium nitrite causes the formation of methemoglobin in the blood which may result in cyanosis, lowering of blood pressure, rapid heartbeat and severe headache. Does as low as 14 mg/kg have been reported to cause toxic effects.

CHRONIC HAZARDS: Repeated excessive ingestions may cause central nervous system effects. Prolonged or repeated skin contact may cause skin sensitization and an associated dermatitis in some individuals.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: None currently known.

CARCINOGEN: None of the components of this product are listed as a carcinogen or suspected carcinogen by IARC, NTP or OSHA.

**Acute Toxicity Values:**

Propylene Glycol: LD50 Oral Rat: 20 gm/kg; LD50 Skin Rabbit: 20.8 gm/kg

Sodium Nitrite: LD50 Oral Rat: 180 mg/kg; LC50 Inhalation Rat: 5.5 mg/m<sup>3</sup>/4 hr.

This product contains less than 0.2% tolyltriazole which has demonstrated mutagenic activity in a bacterial test system. A correlation has been established between mutagenic activity and carcinogenic activity for many chemicals. Tolyltriazole has not been identified as a carcinogen or probable carcinogen by NTP, IARC or OSHA.

**12. Ecological Information**

No ecotoxicity data is currently available.

**13. Disposal Considerations**

Dispose of product in accordance with all local, state/provincial and federal regulations.

**14. Transport Information**

U.S. DOT HAZARD CLASSIFICATION: Not regulated

DOT MARINE POLLUTANTS: This product does not contain Marine Pollutants as defined in 49 CFR 171.8.

IMDG CODE SHIPPING CLASSIFICATION: Not regulated

CANADIAN TDG CLASSIFICATION: Not Regulated

**15. Regulatory Information**

EPA SARA 311/312 HAZARD CLASSIFICATION: Not hazardous

EPA SARA 313: This Product Contains the Following Chemicals Subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372): None

PROTECTION OF STRATOSPHERIC OZONE: This product is not known to contain or to have been manufactured with ozone depleting substances as defined in 40 CFR Part 82, Appendix A to Subpart A.

CERCLA SECTION 103: This product is not subject to CERCLA reporting requirements, however, many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

CALIFORNIA PROPOSITION 65: This product does not contain substances known to the State of California to cause Cancer and/or Reproductive Harm.

EPA TSCA INVENTORY: All of the components of this material are listed on the Toxic Substances Control Act (TSCA) Chemical Substances Inventory.

CANADIAN ENVIRONMENTAL PROTECTION ACT: All of the ingredients are listed on the Canadian Domestic Substances List.

CANADIAN WHMIS CLASSIFICATION: Not a controlled product.

CANADIAN WHMIS HAZARD SYMBOLS: Not applicable

This MSDS has been prepared according to the criteria of the Controlled Products Regulation (CPR) and the MSDS contains all of the information required by the CPR.

AUSTRALIA: All of the ingredients of this product are listed on the Australian Inventory of Chemical Substances.

JAPAN: All of the ingredients of this product are listed on the Japanese Existing and New Chemical Substances (METI) List.

KOREA: All of the ingredients of this product are listed on the Korean Existing Chemical List (KECL).

CHINA: All of the ingredients of this product are listed on the Inventory of Existing Chemical Substance in China (IECSC).

PHILIPPINES All of the ingredients of this product are listed on the Philippines Inventory of Chemicals and Chemical Substances (PICCS).

#### 16. Other Information

NFPA Rating: Fire: 1                      Health: 1                      Reactivity: 0

REVISION SUMMARY: Section 1: Corrected Formula Number

This MSDS is directed to professional users and bulk handlers of the product. Consumer products are labeled in accordance with Federal Hazardous Substances Act regulations.

While Prestone Products Corporation believes that the data contained herein are factual and the opinions expressed are those of qualified experts regarding the results of tests conducted, the data are not to be taken as a warranty or representation for which Prestone Products Corporation assumes legal responsibility. They are offered for your consideration, investigation and verification. Any use of these data and information must be determined by the user to be in accordance with applicable federal, state and local laws and regulations.

If more information is needed, please contact:                      Technical Services  
Prestone Products Corporation  
69 Eagle Road  
Danbury, CT 06810  
(800) 862-7737